



# महाशिला गाउँपालिका गाउँ कार्यपालिकाको कार्यालय

प.सं. : ०८१/०८२

च.नं. :

बालाकोट, पर्वत  
गण्डकी प्रदेश, नेपाल  
२०७३

गण्डकी प्रदेश, नेपाल

985767511

website: [www.mahashilamun.gov.np](http://www.mahashilamun.gov.np)

Email: [mahashilagapa@gmail.com](mailto:mahashilagapa@gmail.com)

## 4 WD Pick-up (Double Cab) र Two Wheeler Motorbike क्याटलग सर्पिंग विधिबाट खरिद सम्बन्धि प्रस्ताव आह्वानको सूचना । (प्रथम पटक प्रकाशित मिति: २०८१/११/०१)

यस कार्यालयको आ.व. २०८१/०८२ को स्वीकृत कार्यक्रम अनुसार, 4 WD Pick-up( Double Cab) र Two wheeler Motorbike खरिद गर्नुपर्ने भएकोले सार्वजनिक खरिद ऐन, २०६३ को दफा ८ तथा सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१(ख) बमोजिम उत्पादक तथा अधिकृत विक्रेताद्वारा निर्धारित दरमा (क्याटलग सर्पिंग ) खरिद गर्ने कार्यविधि, २०७४ ( (क्याटलग सर्पिंग ) विधिबाट खरिद गर्नुपर्ने भएकोले इच्छुक इजाजत प्राप्त, यस कार्यालयमा प्रचलित नियमानुसार सुचिकृत उत्पादक कम्पनी वा त्यसको आधिकारिक विक्रेताहरुले आ-आफ्नो फर्म दर्ताको प्रमाण-पत्र, एजेन्सी दर्ता प्रमाणपत्र, Letter of Authorization, आयकर चुक्ता र स्वघोषणा समावेश गरि सार्वजनिक खरिद नियमावली, २०६४ को नियम ३१ (ख) बमोजिम उत्पादकको आधिकारिक स्पेसिफिकेशन गुणस्तर, मूल्य र सुविधा सहितको विवरण (क्याटलग) संलग्न राखी यो सूचना प्रकाशित भएको मितिले नवौं दिन १५:०० बजे भित्र र नवौं दिन सार्वजनिक बिदा परेमा त्यसको लगत्तै कार्यालय खुलेको दिनको कार्यालय समयभित्र यस कार्यालयमा तपसिलको सवारी साधनको आवेदन दर्ता गर्नुहुन सुचिकृत उत्पादक वा आधिकारिक विक्रेताहरुको जानकारीको लागि यो सूचना प्रकाशित गरिएको छ ।

तपसिल:

क्र.सं.	सामानको विवरण	सन्क्षिप्त विवरण र शर्तहरु	संख्या	कैफियत
१	4WD Pick-up (Double Cab)	कार्यालयबाट स्वीकृत स्पेसिफिकेशन बमोजिम हुनुपर्ने छ र उक्त स्वीकृत स्पेसिफिकेशन यस कार्यालयको वेबसाइट <a href="http://www.mahashilamun.gov.np">www.mahashilamun.gov.np</a> मा हेर्न सकिनेछ । सम्पर्क नं: ९८५७६७५१११	एक	प्रस्ताव खोल्ने समय र स्थान: <del>बाह्र दिन</del> <del>खरिद</del> <del>द्वारा</del> (मिति:२०८१/११/११गते)को दिनको १४:०० बजे, महाशिला गाउँपालिकाको कार्यालय, बालाकोट, पर्वत
२	Two wheeler Motorbike		एक	

०८१/१०/२०८१  
देवेन्द्र पाण्डेय

प्रमुख प्रशासकीय अधिकृत

देवेन्द्र पाण्डेय  
प्रमुख प्रशासकीय अधिकृत

## Technical Specification of 4WD Double Cab Pick-up

### 4 WD (2100-2300) CC Vehicle Double Cab pickup

S. No	CRITERIA	REQUIREMENT	OFFERED SPECIFICATION
1.	General	<b>4 WD Double Cab Pickup, not less than 2024 model, Right Hand Drive model with two and four wheel drive</b> , suitable for driving both in ON-ROAD condition and in OFF-ROAD conditions capable of delivering strong adequate traction and maneuverability/stability needed for safe driving in rough, sandy or slippery and hilly road conditions in Nepal at an altitude up to 2000 meter and in ambient temperature between -5°C to 50°C. The total seating capacity of double cab pickup should be <b>at least 5 persons including driver.</b> <b>Gross Vehicle Weight of the vehicle not less than 3100 Kgs.</b>	Make: Model: Country of Origin:
2.	Engine	<b>Water cooled diesel Engine, displacement (2100-2300 cc) developing rated Power Output not less than 140hp and Torque not less than 320 N-m at governed RPM</b> (engine shall be fully equipped with all necessary items/accessories) for efficient fully load operation of double cab pickup at operating conditions, shall be equipped with cold starting device, direct electric starting system, heavy duty fuel filter.	Make: Model:
3.	Emission Standard	The emission standard of the offered vehicle must be in compliance with or superior than the applicable <b>Standard as prescribed by "Nepal Vehicle Mass Emission Standard 2069 (Euro III)" which is to be certified by Department of Transport Management.</b>	
4.	Gauges	Fitted with all the gauges, indicators, signals as necessary for efficient operation, functional monitoring, vehicle performance and maintenance that includes (but not limited to) Battery charge indicator, water temperature, fuel, oil pressure, transmission gauge etc. with all standard items of offered model vehicle.	
5.	Transmission	Manual shift, <b>at least six forward and one reverse</b> , all forward synchromesh, floor mounted, <b>4WD</b> engaged through control at driver.	
6.	Clutch	Dry, Single Plate.	
7.	Ground clearance  Cargo Box Dimension	<b>Minimum 200 mm.</b> Higher ground clearance preferred  <b>Length: at least 1450mm</b> <b>Breadth: at least 1500mm</b> <b>Height: at least 450mm</b>	
8.	Turning Radius	<b>Not more than 6.7 Meters</b>	
9.	Suspension	Suitable for toughest terrain, smooth ride, stable Handling and comfortable driving conditions. Front: In depending torsion bar or coil spring and stabilizer. Rear: Leaf springs and shock absorbers	
10.	Tyres	Standard Size	
11.	Fuel tank capacity	<b>Not less than 80 Ltrs</b>	

12	Dimensions	Wheel Base 3014 mm Overall Width 1820 mm Overall Length 5170 mm Overall Height 1910 mm Cargo Box (L*B*H) = 1475*1500*550 in mm	
13	Steering	Power assisted/Power Steering	
14	Brakes	Front Disc type, rear drum type, hydraulic operated on all wheels, and parking brake.	
15	Cab	4 doors, all metallic cab with insulated roof, right hand drive, laminated glass windscreen, wipers, glass windows on doors, through ventilation, comfortable and adjustable seats for driver and passenger, floor mats, two sun visors, and two side view mirrors and rearview mirror.	
16	Chassis and Frame	Steel, heavy duty high rigidity frame structure suitable for rough road conditions with hook at front &Rear.	
17	Essential Accessories	<ol style="list-style-type: none"> <li>1. Headlight, tail and rear light, reversing light and turn signals.</li> <li>2. Cabin lights.</li> <li>3. Speedometer / odometer.</li> <li>4. Heavy duty front bumper.</li> <li>5. Spare wheel with tyre and tube.</li> <li>6. Suitable jack with handle</li> <li><b>7. Alloy Wheels</b></li> <li>8. Front seat belt for driver and Co-passenger</li> <li><b>9. Fully Automatic Temperature Control</b></li> <li><b>10. Central Door Locking System</b></li> <li><b>11. Remote Key less Entry System</b></li> <li><b>12. Windows-Power Window(Front/Rear)</b></li> <li><b>13. Front dual airbags system</b></li> <li><b>14. Steering mounted audio control buttons.</b></li> <li><b>15. Touch screen infotainment system.</b></li> <li><b>16. Flooring</b></li> <li><b>17. Rollbar</b></li> <li><b>18. Steering Cover</b></li> <li><b>19. Door visor</b></li> <li><b>20. Floor mat</b></li> <li><b>21. Chrome Kit</b></li> <li><b>22. Rear Guard</b></li> <li><b>23. Nepali Galaicha</b></li> <li><b>24. Side Bidding</b></li> <li><b>25. Mobile Charger.</b></li> </ol> <p>To be equipped with all accessories offered in standard model catalogue provided by principal manufacturer but not limited to the above items.</p>	
18	Instructions	All signs and instructions in the vehicle shall be in English.	
19	Manuals	One copy of the Operator's and Owner's Instructions in English shall be supplied with vehicle.	
20	Tools	A set of tools, with a tool bag, as required for general maintenance shall be supplied.	
21	Color	Standard Color	



22	Proven performance	The bidder shall provide the manufacturer's data of the performance of the unit to include the fuel consumption, performance curve of the engine.	
23	Warranty	Manufacturer shall provide a <b>minimum of one year warranty after acceptance.</b>	
24	Delivery	The Vehicle Pickup, RHD, (4X4), units shall be delivered: Mahashila Rural Municipality, Parbat.	

**Note: The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid.**



*(Handwritten Signature)*  
देवेन्द्र पाण्डेय  
प्रमुख प्रशासकीय अधिकृत

Technical Specifications for Motorcycle

S.N.	CRITERIA	REQUIREMENT	REMARKS
1	General	Motorcycle of sturdy design, suitable for driving in rough and hilly road condition of Nepal having <b>Kerb weight of minimum 112 Kg.</b> Should have electric self start arrangement and backup kick for starting engine.	
2	Engine	<b>Air cooled four stroke gasoline system engine with engine displacement of minimum 120 cc developing maximum power and torque 7.9kW and 11 Nm respectively at the governed RPM.</b>	
3	Gauges	To include necessary gauges and meters for efficient operation and maintenance of the vehicle.	
4	Transmission	Minimum five speed with manual gear	
5	Suspension	Front suspension with telescopic shock absorbers and rear suspension with hydraulic twin shock absorber.	
6	Tires	Standard	
7	Ground Clearance Wheelbase	<b>Min 150 mm</b> <b>Min 1250 mm</b>	
9	Instructions	All signs and instructions on the motorcycle shall be in English.	
10	Manuals	One set of Operator's and Owner's Instruction Manual in English shall be provided	
11	Tools	One Set of tools as required for general maintenance shall be supplied with each unit.	
12	Fuel Tank	<b>Min 10 liters</b>	
13	Brakes	Mechanical or Hydraulic Brake with disc brake at the front and drum at rear.	
14	Essential Accessories	<ol style="list-style-type: none"> <li>1. Head light, rear and turn signal lights</li> <li>2. Two rear view mirrors</li> <li>3. Safety/handle lock</li> <li>4. Seat for co-rider</li> <li>5. Legguard</li> <li>6. Helmet</li> </ol>	
15	Chassis and frame	Steel, heavy duty suitable for rough road conditions	
16	Colour	Any standard colour	
17	Warranty	Manufacturer shall provide a minimum of one year warranty.	
18	Emission standard	The Emission Standard of the vehicle should be capable of meeting applicable "Nepal Vehicle Mass Emission Standard 2069"	
19	Initial Service	The supplier make arrangements for the first two free servicing in a year after acceptance	



*[Handwritten signature]*

देवेन्द्र पाण्डेय  
परामर्शक अधिकृत

20	Delivery	All the eight vehicles shall be delivered to <b>Mahashila Rural Municipality Office, Parbat, Nepal</b>	
----	----------	--	--

*Note: - The major items are indicated by bold and highlighted letters/alphabets/figures in the technical specifications. Non-compliance of these major items will result in non-responsiveness of the bid offer.*



*[Handwritten Signature]*  
देवेन्द्र पाण्डे  
प्रमुख प्रशासकीय अधिकृत